



Production Range for Galvanized Pipes

Production Range for
Hot-dip Galvanized Pipes

Production Range for
Pre Galvanized Pipes

Production Range for Hot-dip Galvanized Pipes

Outside Diameter		Wall Thickness (mm)															
(mm)	(inch)	1,80	1,90	2,00	2,20	2,40	2,60	3,00	3,20	3,50	4,00	4,50	5,00	5,50	6,00	6,35	7,11
Ø21,3	1/2								-	-	-	-	-	-	-	-	-
Ø26,9	3/4											-	-	-	-	-	-
Ø32,0														-	-	-	-
Ø33,7	1													-	-	-	-
Ø42,4	1 1/4																-
Ø48,3	1 1/2																-
Ø51,0																	-
Ø60,3	2																-
Ø73,0	2 7/8	-	-	-	-												
Ø76,1	2 1/2	-	-	-	-												
Ø88,9	3	-	-	-	-	-											
Ø101,6	3 1/2	-	-	-	-	-	-										
Ø114,3	4	-	-	-	-	-	-										
Ø127,0		-	-	-	-	-	-	-									
Ø139,7	5	-	-	-	-	-	-	-	-	-							
Ø141,3	5	-	-	-	-	-	-	-	-	-							
Ø152,4		-	-	-	-	-	-	-	-	-							
Ø159,0		-	-	-	-	-	-	-	-	-							
Ø165,1	6	-	-	-	-	-	-	-	-	-							
Ø168,3	6	-	-	-	-	-	-	-	-	-	-						
Ø177,8	7	-	-	-	-	-	-	-	-	-	-						
Ø193,7	7 5/8	-	-	-	-	-	-	-	-	-	-						
Ø219,1	8	-	-	-	-	-	-	-	-	-	-						-

Length Range

	5,0 - 8,0 m
	5,0 - 8,5 m



Production Range for Pre-Galvanized Pipes

Outside Diameter		Wall Thickness (mm)			
(mm)	(inch)	1,0	1,2	1,5	2,0
Ø26,9	3/4	-	-		
Ø32,0					
Ø33,7	1	-	-		
Ø38,0					
Ø42,4	1 1/4	-	-		
Ø45,0					
Ø48,3	1 1/2	-	-		
Ø60,3	2	-	-		
Ø63,0		-	-	-	
Ø76,1	2 1/2	-	-	-	
Ø80,0		-	-	-	
Ø88,9	3	-	-	-	
Ø96,0		-	-	-	
Ø101,6	3 1/2	-	-	-	
Ø114,3	4				
Ø125,0		-	-	-	

Length Range

	4,0 - 8,5 m
	4,0 - 7,5 m
	4,0 - 13,0 m

